



(RG, 13.12.2014, No-29204) It complies with the Regulation on Safety Data Sheets on Hazardous Substances and Mixtures.

| Substane/Mixture<br>Name | Dramium Culsali Essansa        | Regulation Date   | 04.02.2025 |
|--------------------------|--------------------------------|-------------------|------------|
| Name                     | <u>Premium Gulseli Essence</u> | Editing Date      |            |
| Form No                  | 111.243.99                     | Number Of Editing | 1          |

# SECTION 1.IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product Identifier

Product Name : <u>Premium Gulseli Essence</u>

Form No/GBF No : 111.243.99

Brand : Elito

E Code : No additional information available.
EC No : No additional information available.
CAS No : No additional information available.

Country of Origin : Türkiye (The origin of the main component is different from the origin of the final product).

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Manufacturing of products in cosmetic and various industries.

Uses advised against : No additional information available.

1.3 Details of the supplier of the tds Identification of the company

Company : Smart Kimya Ticaret ve Danışmanlık Limited Şirketi

Central Address : 10016 Street No:18 AOSB Çiğli/İzmir

Telephone : 0850 441 00 22 Email Address : s@hammaddeler.com

Websites : <u>hammaddeler.com- gbf.com.tr</u>

1.4 Emergency Phone Number

National Toxic Information Center (UZEM): 114

# **SECTION 2. HAZARDS IDENTIFICATION**

# 2.1 Classification of Substance and Mixture Classification according to Regulation (EC) No 1272/2008

Skin Sens.(Category 1),H317 Eye Damage(Category 1),H318

#### 2.2 Label elements

# Labelling according Regulation (EC) No 1272/2008

Pictogram

P310

P321





Signal word (SEA) : Danger

Hazard Statements (SEA)

H317 : May cause an allergic skin reaction.
H318 : Causes serious eye damage.

Precautionary statement(s)

P261 : Avoid breathing dust/fume/gas/mist/vapours/spray.

P280 : Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection/...

P305+P351+P338 : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

: Immediately call a POISON CENTER/doctor/... : Specific treatment (see ... on this label).

P362+P364 : Take off contaminated clothing and wash it before reuse.

P501 : Dispose of contents/container to ...



















(RG, 13.12.2014, No-29204) It complies with the Regulation on Safety Data Sheets on Hazardous Substances and Mixtures.

| Substane/Mixture | Duamium Culasii Facanas        | Regulation Date 04.02.2 |   |
|------------------|--------------------------------|-------------------------|---|
| Name             | <u>Premium Gulseli Essence</u> | Editing Date            |   |
| Form No          | 111.243.99                     | Number Of Editing       | 1 |

Supplemental Hazard Statements

**EUH208** : Contains benzyl salicylate. May produce an allergic reaction. EUH208 : Contains Geranyl acetate. May produce an allergic reaction. **EUH208** 

: Contains alpha-Amylcinnamic aldehyde (ACA). May produce an allergic reaction.

**EUH208** : Contains alpha-iso-Methylionone. May produce an allergic reaction.

**EUH208** : Contains 2,4-Dimethyl-3-cyclohexen-1-carboxaldehyde (. May produce an allergic

reaction.

**EUH208** : Contains Geranium oil China. May produce an allergic reaction.

#### 2.3 Other hazards

# Special provisions according to Annex XVII of REACH and subsequent amendments

The mixture does not contain substances classified as PBT.

The mixture does not contain substances classified as vPvB.

The mixture does not contain any endocrine disrupting properties substances.

In normal use conditions and in its original form, the product itself does not involve any other risk for health and the environment.

# SECTION 3.COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.1 Substances

Not applicable.

#### 3.2 Mixtures

Substances posing a danger to health or the environment in accordance with the Regulation (EC) No. 1272/2008, assigned a Community exposure limit in the workplace, and classified as PBT/vPvB or included in the Candidate List:

| Identifiers Name Concentrate (%)       |                                   |           | (*)Classification - R<br>1272/2008  | egulation (EC) No   |
|--|-----------------------------------|-----------|---|---|
|  |                                   |           | Classification  | Specifics<br>concentration<br>limits and Acute<br>toxicity estimate |
| CAS No: 66455-14-9<br>EC No: 500-165-3 | Alcohols, C12-13, ethoxylated     | 10 - 50   | Eye Irrit. 2, H319  | -   |
| CAS No: 60-12-8<br>EC No: 200-456-2    | Phenylethyl alcohol               | 10 - 25   | Acute Tox. 4, H302;<br>Eye Irrit. 2, H319   | -   |
| CAS No: 106-22-9<br>EC No: 203-375-0   | Citronellol                       | 1 - 10    | Eye Irrit. 2, H319;<br>Skin Irrit. 2, H315;<br>Skin Sens. 1, H317   | -   |
| CAS No: 106-24-1<br>EC No: 203-377-1   | Geraniol                          | 3 - 10    | Eye Dam. 1, H318;<br>Skin Irrit. 2, H315;<br>Skin Sens. 1, H317   | -   |
| CAS No: 101-84-8<br>EC No: 202-981-2   | [1] Diphenyl ether                | 0.1 - 2.5 | Aquatic Acute 1, H400;<br>Aquatic Chronic 2, H411,<br>Eye Irrit. 2, H319  | -   |
| CAS No: 118-58-1<br>EC No: 204-262-9   | Benzyl salicylate                 | 0.1 - 1   | Skin Sens. 1B, H317   | -   |
| CAS No: 8000-46-2<br>EC No: 290-140-0  | Geranium oil China                | 0.1 - 1   | Aquatic Chronic 3, H412;<br>Asp. Tox. 1, H304;<br>Eye Dam. 1, H318;<br>Skin Irrit. 2, H315;<br>Skin Sens. 1, H317 | -   |
| CAS No: 122-40-7<br>EC No: 204-541-5   | Alpha-Amylcinnamic aldehyde (ACA) | 0.1 - 1   | Aquatic Chronic 2, H411;<br>Skin Sens. 1, H317  | -   |
| CAS No: 105-87-3<br>EC No: 203-341-5   | Geranyl acetate                   | 0.1 - 1   | Aquatic Chronic 3, H412;<br>Skin Irrit. 2, H315;<br>Skin Sens. 1,H317   | -   |
| CAS No: 127-51-5<br>EC No: 204-846-3   | Alpha-iso-Methylionone            | 0.1 - 1   | Aquatic Chronic 2, H411;<br>Skin Sens. 1, H317  | -   |



















(RG, 13.12.2014, No-29204) It complies with the Regulation on Safety Data Sheets on Hazardous Substances and Mixtures.

| Substane/Mixture | Duamium Culasii Facanas        | Regulation Date 04.02.2 |   |
|------------------|--------------------------------|-------------------------|---|
| Name             | <u>Premium Gulseli Essence</u> | Editing Date            |   |
| Form No          | 111.243.99                     | Number Of Editing       | 1 |

| CAS No: 68039-49-6 | 2,4-Dimethyl-3-cyclohexen-1- | 0.1 - 1 | Aquatic Chronic 3, H412;  |   |
|--------------------|------------------------------|---------|---------------------------|---|
| EC No: 268-264-1   | carboxaldehyde               |         | Eye Irrit. 2, H319;       | - |
|                    | ·                            |         | Skin Irrit. 2, H315; Skin |   |
|                    |                              |         | Sens. 1, H317             |   |

- (\*)The complete text of the H phrases is given in section 16 of this Safety Data Sheet.
- [1] Substance with a European Union exposure limit in the workplace (see section 8.1).
- [2] Substance with a national workplace exposure limit (see section 8.1).

# **SECTION 4. FIRST AID MEASURES**

# 4.1 Description of first aid measures

#### General advice

In case of doubt or when symptoms of feeling unwell persist, get medical attention. Never administer anything orally to persons who are unconscious.

#### Following inhalation:

Take the victim into open air; keep them warm and calm. If breathing is irregular or stops, perform artificial respiration.

#### In case of skin contact:

Remove contaminated clothing. Wash skin vigorously with water and soap or a suitable skin cleaner. NEVER use solvents or thinners.

#### After eye contact:

Wash eyes with plenty of clean and cool water for at least 10 minutes while pulling eyelids up, and seek medical assistance. Dont let the person to rub the affected eye.

### Following ingestion:

If accidentally ingested, seek immediate medical attention. Keep calm. NEVER induce vomiting.

# 4.2 Most important symptoms and effects, both acute and delayed

Corrosive Product, contact with eyes or skin can cause burns; ingestion or inhalation can cause internal damage, if this occurs immediate medical assistance is required.

Contact with eyes may cause irreversible damage.

It may cause an allergic reaction, dermatitis, redness or inflammation of the skin.

# 4.3 Indication of any immediate medical attention and special treatment needed

Request immediate medical attention. Never administer anything orally to persons who are unconscious. Do not induce vomiting. If the person vomits, clear the respiratory tract. Cover the affected area with a dry sterile bandage. Protect the affected area from pressure or friction.

# **SECTION 5. FIREFIGHTING MEASURES**

The product is NOT classified as flammable, in case of fire the following measures should be taken:

# 5.1 Extinguishing media

# Suitable extinguishing media

Extinguisher powder or CO2. In case of more serious fires, also alcohol-resistant foam and water spray.

#### Unsuitable extinguishing media:

Do not use a direct stream of water to extinguish. In the presence of electrical voltage, you cannot use water or foam as extinguishing media.

# 5.2 Special hazards arising from the substance or mixture

Exposure to combustion or decomposition products can be harmful to your health.

### 5.3 Advice for firefighters

Use water to cool tanks, cisterns, or containers close to the heat source or fire. Take wind direction into account. Prevent the products used to fight the fire from going into drains, sewers, or waterways.

#### Fire protection equipment

According to the size of the fire, it may be necessary to use protective suits against the heat, individual breathing equipment, gloves, protective goggles or facemasks, and boots.

# 5.4 Additional information

No additional information available.



















(RG, 13.12.2014, No-29204) It complies with the Regulation on Safety Data Sheets on Hazardous Substances and Mixtures.

| Substane/Mixture | Duamium Gulasli Fasanca | Regulation Date     | 04.02.2025 |
|------------------|-------------------------|---------------------|------------|
| Name             | Premium Gulseli Essence | <b>Editing Date</b> |            |
| Form No          | 111.243.99              | Number Of Editing   | 1          |

# **SECTION 6. ACCIDENTAL RELEASE MEASURES**

#### 6.1 Personal precautions, protective equipment and emergency procedures

For exposure control and individual protection measures, see section 8.

# 6.2 Environmental precautions

Product not classified as hazardous for the environment, avoid spillage as much as possible.

# 6.3 Methods and material for containment and cleaning up

Contain and collect spillage with inert absorbent material (earth, sand, vermiculite, Kieselguhr...) and clean the area immediately with a suitable decontaminant.

Deposit waste in closed and suitable containers for disposal, in compliance with local and national regulations (see section 13).

#### 6.4 Reference to other sections

For exposure control and individual protection measures, see section 8.

For later elimination of waste, follow the recommendations under section 13.

# **SECTION 7. HANDLING AND STORAGE**

#### 7.1 Precautions for safe handling

For personal protection, see section 8.

In the application area, smoking, eating, and drinking must be prohibited.

Follow legislation on occupational health and safety.

Never use pressure to empty the containers. They are not pressure-resistant containers. Keep the product in containers made of a material identical to the original.

### 7.2 Conditions for safe storage, including any incompatibilities

Store according to local legislation. Observe indications on the label. Store the containers between 5 and 25 o C, in a dry and well-ventilated place, far from sources of heat and direct solar light. Keep far away from ignition points. Keep away from oxidising agents and from highly acidic or alkaline materials. Do not smoke. Prevent the entry of non-authorised persons. Once the containers are open, they must be carefully closed and placed vertically to prevent spills.

The product is not affected by Directive 2012/18/EU (SEVESO III).

# 7.3 Specific end use(s)

No additional information available.

# **BÖLÜM 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

# 8.1 Control parameters

**Components with Workspace Control Parameters** 

| Name           | CAS No.  | Country   | Limit value | ppm | mg/m³ |
|----------------|----------|-----------|-------------|-----|-------|
| Diphenyl ether | 101-84-8 | European  | Eight hours | 1   | 7     |
|                |          | Union [1] | Short term  | 2   | 14    |

[1] According both Binding Occupational Esposure Limits (BOELVs) and Indicative Occupational Exposure Limits (IOELVs) adopted by Scientific Committee for Occupational Exposure Limits to Chemical Agents (SCOEL).

The product does NOT contain substances with Biological Limit Values.

Concentration levels DNEL/DMEL:

| Name                          | DNEL/DMEL | Туре                          | Value         |
|-------------------------------|-----------|-------------------------------|---------------|
| Alcohols, C12-13, ethoxylated | DNEL      | Inhalation, Chronic, Systemic |               |
| CAS No: 66455-14-9            | (Workers) | effects                       | 294 (mg/m³)   |
| EC No: 500-165-3              |           |                               |               |
| citronellol                   | DNEL      | Inhalation, Chronic, Systemic |               |
| CAS No: 106-22-9              | (Workers) | effects                       | 161,6 (mg/m³) |
| EC No: 203-375-0              |           |                               |               |
| Geraniol                      | DNEL      | Inhalation, Chronic, Systemic |               |
| CAS No: 106-24-1              | (Workers) | effects                       | 161,6 (mg/m³) |
| EC No: 203-377-1              |           |                               |               |
| Diphenyl ether                | DNEL      | Inhalation, Chronic, Local    | 9,68 (mg/m³)  |
| CAS No: 101-84-8              | (Workers) | effects                       |               |



















(RG, 13.12.2014, No-29204) It complies with the Regulation on Safety Data Sheets on Hazardous Substances and Mixtures.

| Substane/Mixture | Duamium Culasii Facanas        | <b>Regulation Date</b> 04.02.2 |   |
|------------------|--------------------------------|--------------------------------|---|
| Name             | <u>Premium Gulseli Essence</u> | Editing Date                   |   |
| Form No          | 111.243.99                     | Number Of Editing              | 1 |

| EC No: 202-981-2       | DNEL      | Inhalation, Chronic, Systemic | 245,8 (mg/m³) |
|------------------------|-----------|-------------------------------|---------------|
|                        | (Workers) | effects                       |               |
| alpha-iso-Methylionone | DNEL      | Inhalation, Chronic, Systemic |               |
| CAS No: 127-51-5       | (Workers) | effects                       | 29,4 (mg/m³)  |
| EC No: 204-846-3       |           |                               |               |

DNEL: Derived No Effect Level, level of exposure to the substance below which adverse effects are not anticipated.

DMEL: Derived Minimal Effect Level, exposure level corresponding to a low risk, that risk should be considered a tolerable minimum.

#### 8.2 Exposure controls

### 8.2.1. Appropriate engineering controls

Provide adequate ventilation, which can be achieved by using good local exhaust-ventilation and a good general exhaust system.

# 8.2.2. Personal protection equipment

# Eye/face protection:

Appropriate glasses should be used.

#### Skin protection:

Wear appropriate protective clothing and, where necessary, limit odor contamination of personal clothing. After any possibility of contact, wash the contact area thoroughly.

#### **Hand Protection**

Appropriate gloves should be worn.

# **Respiratory protection:**

If ventilation (LEV) is not sufficient, use suitable respirators.

# 8.2.3. Environmental exposure controls

Not available at the moment. Minimize the spread to the environment.

# **SECTION 9.PHYSICAL AND CHEMICAL PROPERTIES**

# 9.1 Information on basic physical and chemical properties

Physical state : Liquid Colour Colorless : Characterictic Odour Lower/Upper explosion limit : Not applicable Auto-ignition temperature Not applicable Decomposition temperature Not applicable Not applicable рΗ Not applicable Solubility Kinematic viscosity Not applicable Initial boiling point and boiling range : Not applicable Melting point/Freezing point : Not applicable Flash Point : > 60 °C Vapor Pressure : Not applicable Relative density : Not applicable : Not applicable Flammability

# 9.2 Other information

No additional information available.

# **SECTION 10. STABILITY AND REACTIVITY**

#### 10.1 Reactivity

The product does not present hazards by their reactivity.

# 10.2 Chemical stability

Stable under the recommended handling and storage conditions (see section 7).

# 10.3 Possibility of hazardous reactions

The product does not present possibility of hazardous reactions.

# 10.4 Conditions to avoid

Avoid any improper handling.

# 10.5 Incompatible materials

Keep away from oxidising agents and from highly alkaline or acidic materials in order to prevent exothermic reactions.



















(RG, 13.12.2014, No-29204) It complies with the Regulation on Safety Data Sheets on Hazardous Substances and Mixtures.

| Substane/Mixture | Duamium Culasii Facanas        | Regulation Date 04.02.2 |   |
|------------------|--------------------------------|-------------------------|---|
| Name             | <u>Premium Gulseli Essence</u> | Editing Date            |   |
| Form No          | 111.243.99                     | Number Of Editing       | 1 |

#### 10.6 Hazardous decomposition products

No decomposition if used for the intended uses.

# **SECTION 11.TOXICOLOGICAL INFORMATION**

#### 11.1 Information on Toxic Effects

There are no tested data available on the product.

Splatters in the eyes can cause irritation and reversible damage.

#### Acute oral toxicity:

No additional information available.

Acute Toxicity Estimate (ATE):

Mixtures:

ATE (Oral) = 4.464 mg/kg

#### Serious eye damage/irritation:

Product classified:

Serious eye damage, Category 1: Causes serious eye damage.

#### Skin corrosion/irritation:

Based on available data, the classification criteria are not met.

### Respiratory or skin sensitization:

Product classified:

Skin sensitiser, Category 1: May cause an allergic skin reaction.

# Germ cell mutagenicity:

No additional information available.

# Carcinogenicity:

No additional information available.

#### Reproductive toxicity

No additional information available.

# Specific target organ toxicity - Single exposure:

No additional information available.

# Specific target organ toxicity - repeated exposure:

No additional information available.

# **Aspiration Toxicity:**

No additional information available.

#### Additional Information:

#### **Endocrine disrupting properties**

This product does not contain components with endocrine-disrupting properties with effects on human health.

#### Other information

There is no information available on other adverse health effects.

# **SECTION 12. ECOLOGICAL INFORMATION**

#### 12.1 Toxicity

No additional information available.

# 12.2 Persistence and degradability

No information is available regarding the biodegradability of the substances present.

No information is available on the degradability of the substances present.

No information is available about persistence and degradability of the product.



















(RG, 13.12.2014, No-29204) It complies with the Regulation on Safety Data Sheets on Hazardous Substances and Mixtures.

| Substane/Mixture | Duamium Gulasli Fasanca        | Regulation Date   | 04.02.2025 |
|------------------|--------------------------------|-------------------|------------|
| Name             | <u>Premium Gulseli Essence</u> | Editing Date      |            |
| Form No          | 111.243.99                     | Number Of Editing | 1          |

# 12.3 Bioaccumulative potential

Information about the bioaccumulation of the substances present.

| Name  |         | Bioaccumulation |       |           |
|---|---------|-----------------|-------|-----------|
|   | Log Pow | BCF             | NOECs | Level     |
| Phenylethyl alcohol<br>CAS No: 60-12-8 ; EC No: 200-456-2 | 1,36    | -               | -     | Very high |
| Citronellol<br>CAS No: 106-22-9 ; EC No: 203-375-0        | 4,04    | -               | -     | Very high |
| Geraniol<br>CAS No: 106-24-1; EC No: 203-377-1            | 3,56    | -               | -     | Very high |
| Diphenyl ether CAS No: 101-84-8 ; EC No: 202-981-2        | 4,21    | -               | -     | Very high |

# 12.4 Mobility in soil

No information is available about the mobility in soil.

The product must not be allowed to go into sewers or waterways.

Prevent penetration into the ground.

#### 12.5 Results of PBT and vPvB assessment

No information is available about the results of PBT and vPvB assessment of the product.

#### 12.6 Other adverse effects

This product doesn't contain components with environmental endocrine disrupting properties.

#### 12.7 Other adverse effects

The product is not affected by the Regulation (EC) No 1005/2009 of the European Parliament and of the Council of 16 September 2009 on substances that deplete the ozone layer.

No information is available about other adverse effects for the environment.

### **SECTION 13. DISPOSAL CONSIDERATIONS**

#### 13.1 Waste treatment methods

Do not dump into sewers or waterways. Waste and empty containers must be handled and eliminated according to current, local/national legislation.

# **SECTION 14. TRANSPORT INFORMATION**

Transportation is not dangerous. In case of road accident causing the product's spillage, proceed in accordance with point 6.

### 14.1. UN number or ID number

Transportation is not dangerous.

# 14.2. UN proper shipping name

ADR (Road)/RID (Rail) : Not classified as hazardous for transport. IMDG (Seaway) : Not classified as hazardous for transport. IATA (Airline) : Not classified as hazardous for transport.

# 14.3. Transport hazard class(es)

Transportation is not dangerous.

# 14.4. Packing group

Transportation is not dangerous.

# 14.5. Environmental hazards

Transportation is not dangerous.

Transport by ship, FEm – Emergency sheets (F – Fire, S - Spills): Not applicable.

### 14.6. Special precautions for user

Transportation is not dangerous.

# 14.7. Bulk transportation according to MARPOL 73/78 annex II and IBC code

Transportation is not dangerous.



















(RG, 13.12.2014, No-29204) It complies with the Regulation on Safety Data Sheets on Hazardous Substances and Mixtures.

| Substane/Mixture | Duamium Culasii Facanas        | Regulation Date   | 04.02.2025 |
|------------------|--------------------------------|-------------------|------------|
| Name             | <u>Premium Gulseli Essence</u> | Editing Date      |            |
| Form No          | 111.243.99                     | Number Of Editing | 1          |

# **SECTION 15. REGULATORY INFORMATION**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

The product is not affected by Regulation (EU) No 528/2012 concerning the making available on the market and use of biocidal products.

The product is not affected by the procedure established Regulation (EU) No 649/2012, concerning the export and import of dangerous chemicals.

#### 15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

# **SECTION 16. OTHER INFORMATION**

#### **Waiver Statement**

The information presented in this safety data sheet is based on the information we already have. Although the information is reliable, it should not be considered accurate and complete. The prepared safety data sheet does not constitute a guarantee and should be used as a guide. This information has been prepared specifically for the substance or mixture in question, and may not be valid for compounds and processes made with other substances. and may vary depending on other raw materials; For this reason, the person or institution purchasing the products freely decides to use the product after evaluating its suitability for its own use, its impact on environmental conditions, its effects on occupational health and safety. Hammaler.com, Smart Kimya Tic. and Dan. Ltd. Şti., our representatives and solution partners cannot be held responsible for the use of this information.













